## merican bullfrog

(Lithobates catesbeianus)

Classification	
Order	Anura
Family	Ranidae
Genus	Lithobates
Species	Lithobates catesbeianus
	(Shaw, 1802)

Originated in North America. Introduced in the Gironde department in 1968 and later in the Sologne area.

## Description

- Skin colour varies from olive green to dark brown
- Creamy white underside with yellow throat in adult males
- Length 15 to 20 centimetres from nose to cloaca, 40 cm from nose to end of fully extended hind legs
- Adults vary in weight between 500 and 800 grams
- Large-diameter tympanum:
- equal in size to the eye in females
- two times the size of the eye in males
- A fold in the skin runs from the eye, above the tympanum, to the base of the hind legs (no folds across the back)
- The hind feet are palmed
- The characteristic call of the American bullfrog resembles the lowing of a cow.

## **E**cology and reproduction

- Habitats in all types of lentic aquatic environments
- They can travel via rivers with slow currents
- Bullfrogs are active during both the night and the day
- Adults hibernate starting in the middle of the fall, tadpoles spend the winter in water
- Bullfrogs are opportunistic predators, feeding on amphibians, fish, small mammals, reptiles, insects, etc.
- Reproduction occurs between May and August, generally in the form of a single spawn comprising up to 25 000 round, transparent eggs in a gelatinous mass
- The eggs hatch after 4 or 5 days
- In France, the larvae metamorphose after 2 to 3 years and the frogs become sexually mature 2 to 4 years later

## Documentation

 Sarat E. (coord.) 2012. Vertébrés exotiques envahissants du bassin de la Loire (hors poissons) : connaissances et expériences de gestion.
Office national de la chasse et de la faune sauvage, Plan Loire Grandeur Nature, 128 pp.

Nepveu C. 2002. Les espèces animales et végétales susceptibles de proliférer dans les milieux aquatiques et subaquatiques - Fiches espèces animales (les espèces exotiques). Agence de l'eau Artois-Picardie. 98 pp









- 1. Male American bullfrog.
- 2. Rear foot.
- 3. Spawn.
- 4. Tadpole.

Amphibians